

Please click price below and you will be redirected to our pharmacy.

## Colcrys



Generic Colcrys is used for treating and preventing pain associated with gouty arthritis.

Active ingredient: Colchicine

**Brand(s):** Colchigen

**Manufacturer:** GenPharma International Pvt. Ltd.

**Disease(s):** Gouty Arthritis

### Colcrys 0.5mg

|                       | Per pill | Per Pack                                | Order                       |
|-----------------------|----------|---|-----------------------------|
| 30 tablet             | \$ 1.17  | <b>\$ 34.95</b>                         | <a href="#">Add to cart</a> |
| 60 tablet             | \$ 1.08  | <b>\$ 64.95</b><br><del>\$69.90</del>   | <a href="#">Add to cart</a> |
| 90 tablet             | \$ 1.05  | <b>\$ 94.95</b><br><del>\$104.85</del>  | <a href="#">Add to cart</a> |
| 120 tablet            | \$ 1.00  | <b>\$ 119.95</b><br><del>\$139.80</del> | <a href="#">Add to cart</a> |
| 180 tablet            | \$ 0.89  | <b>\$ 159.95</b><br><del>\$209.70</del> | <a href="#">Add to cart</a> |
| Free AirMail shipping |          |   |                             |
| 360 tablet            | \$ 0.86  | <b>\$ 309.95</b><br><del>\$419.40</del> | <a href="#">Add to cart</a> |

Free AirMail shipping

## Colchicine Tablet

### What is this medicine?

COLCHICINE is used for treating joint pain and swelling due to attacks of acute gouty arthritis. The medicine is also used to treat familial Mediterranean fever.

### What should I tell my health care provider before I take this medicine?

They need to know if you have any of these conditions:

- anemia
- blood disorders like leukemia or lymphoma
- heart disease
- immune system problems
- intestinal disease
- kidney disease
- liver disease
- muscle pain or weakness
- take other medicines
- stomach problems
- an unusual or allergic reaction to colchicine, other medicines, lactose, foods, dyes, or preservatives
- pregnant or trying to get pregnant
- breast-feeding

### How should I use this medicine?

Take this medicine by mouth with a full glass of water. Follow the directions on the prescription label. You can take it with or without food. If it upsets your stomach, take it with food. Take your medicine at regular

