

Please click price below and you will be redirected to our pharmacy.

## Restasis®



**Restasis®** - ophthalmic emulsion containing 0.05% of cyclosporine, made by Allergan, which is indicated to increase tear production in patients whose tear production is presumed to be suppressed due to ocular inflammation associated with keratoconjunctivitis sicca. Increased tear production was not seen in patients currently taking topical anti-inflammatory drugs or using punctal plugs.

Active ingredient: [Cyclosporine](#)

**Brand(s):**Restasis

**Manufacturer:** Allergan

**Disease(s):**Organ Rejection / Psoriasis / Rheumatoid Arthritis

### Restasis® 0.05% 0.4ml

	Per pill	Per Pack	Order
30 vial	\$ 6.67	<b>\$ 199.95</b>	<a href="#">Add to cart</a>
Free AirMail shipping			
60 vial	\$ 5.83	<b>\$ 349.95</b> <del>\$399.90</del>	<a href="#">Add to cart</a>
Free AirMail shipping			
90 vial	\$ 5.50	<b>\$ 494.95</b> <del>\$599.85</del>	<a href="#">Add to cart</a>
Free AirMail shipping			

## Cyclosporine eye drops

### What is cyclosporine ophthalmic?

Cyclosporine is an immunosuppressant. Cyclosporine ophthalmic (for use in the eye) can increase tear production that has been reduced by inflammation in the eye(s).

Cyclosporine ophthalmic is used to treat chronic dry eye that may be caused by inflammation.

Cyclosporine ophthalmic may also be used for purposes not listed in this medication guide.

### Important Information

Follow all directions on your medicine label and package. Tell each of your healthcare providers about all your medical conditions, allergies, and all medicines you use.

### Before taking this medicine

You should not use cyclosporine ophthalmic if you are allergic to cyclosporine.

It is not known whether this medicine will harm an unborn baby. Tell your doctor if you are pregnant or plan to become pregnant.

It is not known whether cyclosporine ophthalmic passes into breast milk or if it could harm a nursing baby. Tell your doctor if you are breast-feeding a baby.

Cyclosporine ophthalmic is not approved for use by anyone younger than 16 years old.

### How should I use cyclosporine ophthalmic?

Follow all directions on your prescription label. Do not use this medicine

