

Please click price below and you will be redirected to our pharmacy.

## Glucotrol



Generic **Glucotrol** is used for treating type 2 diabetes in patients who cannot control blood sugar levels by diet and exercise alone.

Active ingredient: [Glipizide](#)

**Brand(s):**Glynase

**Manufacturer:** USV Private Limited

**Disease(s):**Diabetes Type II

### Glucotrol 5mg

	Per pill	Per Pack	Order
30 tablet	\$ 0.67	<b>\$ 20.00</b>	<a href="#">Add to cart</a>
60 tablet	\$ 0.63	<b>\$ 38.00</b> <del>\$40.00</del>	<a href="#">Add to cart</a>
90 tablet	\$ 0.60	<b>\$ 54.00</b> <del>\$60.00</del>	<a href="#">Add to cart</a>
120 tablet	\$ 0.58	<b>\$ 70.00</b> <del>\$80.00</del>	<a href="#">Add to cart</a>
180 tablet	\$ 0.56	<b>\$ 100.00</b> <del>\$120.00</del>	<a href="#">Add to cart</a>
240 tablet	\$ 0.54	<b>\$ 130.00</b> <del>\$160.00</del>	<a href="#">Add to cart</a>
360 tablet	\$ 0.50	<b>\$ 180.00</b> <del>\$240.00</del>	<a href="#">Add to cart</a>

Free AirMail shipping

## Glipizide tablet

### What is this medicine?

GLIPIZIDE helps to treat type 2 diabetes. Treatment is combined with diet and exercise. The medicine helps your body to use insulin better.

### What should I tell my health care provider before I take this medicine?

They need to know if you have any of these conditions:

- diabetic ketoacidosis
- heart disease
- kidney disease
- liver disease
- porphyria
- severe infection or injury
- thyroid disease
- an unusual or allergic reaction to glipizide, sulfa drugs, other medicines, foods, dyes, or preservatives
- pregnant or trying to get pregnant
- breast-feeding

### How should I use this medicine?

Take this medicine by mouth. Swallow with a drink of water. Do not take with food. Take it 30 minutes before a meal. If you take this medicine once a day, take it 30 minutes before breakfast. Take your doses at the same time each day. Do not take more often than directed.

Talk to your pediatrician regarding the use of this medicine in children. Special care may be needed.

