

Please click price below and you will be redirected to our pharmacy.

## Proscar



**Generic Proscar** is used for treating urinary problems caused by an enlarged prostate gland (benign prostatic hyperplasia, BPH). It is also used to lower the risk of needing surgery to treat BPH. It may be used with another medicine to lower the risk of worsening BPH.

Active ingredient: [Finasteride](#)

**Brand(s):** Prosteride / Finotop

**Manufacturer:** Hab Pharmaceuticals & Research Ltd / Ind-Swift Laboratories Ltd.

**Disease(s):** Benign Prostatic Hyperplasia

### Proscar 5mg

	Per pill	Per Pack	Order
30 tablet	\$ 1.43	<b>\$ 42.95</b>	<a href="#">Add to cart</a>
60 tablet	\$ 1.30	<b>\$ 77.95</b> <del>\$85.90</del>	<a href="#">Add to cart</a>
90 tablet	\$ 1.16	<b>\$ 103.95</b> <del>\$128.85</del>	<a href="#">Add to cart</a>
120 tablet	\$ 1.03	<b>\$ 123.95</b> <del>\$171.80</del>	<a href="#">Add to cart</a>
180 tablet	\$ 0.88	<b>\$ 158.95</b> <del>\$257.70</del>	<a href="#">Add to cart</a>
Free AirMail shipping			
360 tablet	\$ 0.81	<b>\$ 289.95</b> <del>\$515.40</del>	<a href="#">Add to cart</a>

Free AirMail shipping

## Finasteride tablet

### What is this medicine?

FINASTERIDE can reduce the size of the prostate gland in men with benign prostatic hyperplasia (BPH) and to lower the risk of needing surgery. Finasteride is also used for the treatment of certain types of male hair loss. Finasteride is not for use in women.

### What should my health care professional know before I take this medicine?

They need to know if you have any of these conditions:

- if you are female (finasteride is not for use in women)
- kidney disease or infection
- liver disease
- prostate cancer
- an unusual or allergic reaction to finasteride, other medicines, foods, dyes, or preservatives

### How should I take this medicine?

Take finasteride tablets by mouth. Swallow the tablets with a drink of water. You can take this medicine with or without food. Take your doses at regular intervals. Do not take your medicine more often than directed.

**Overdosage:** If you think you have taken too much of this medicine contact a poison control center or emergency room at once.

**NOTE:** This medicine is only for you. Do not share this medicine with

