

Imodium



Generic **Imodium** is used for treating symptoms of certain types of diarrhea. It is also used to decrease the amount of discharge from an ileostomy.

Active ingredient: [Loperamide](#)

Brand(s):Roko / Loperamide Tablets

Manufacturer: Cipla Limited / Medibest Pharma Pvt. Ltd.

Disease(s):Diarrhea

Imodium 2mg

| | Per pill | Per Pack | Order |
|------------|----------|---|-----------------------------|
| 30 tablet | \$ 1.00 | \$ 30.00 | Add to cart |
| 60 tablet | \$ 0.92 | \$ 55.00 \$60.00 | Add to cart |
| 90 tablet | \$ 0.83 | \$ 75.00 \$90.00 | Add to cart |
| 120 tablet | \$ 0.75 | \$ 90.00 \$120.00 | Add to cart |
| 180 tablet | \$ 0.67 | \$ 120.00 \$180.00 | Add to cart |
| 240 tablet | \$ 0.62 | \$ 150.00 \$240.00 | Add to cart |

Free AirMail shipping

| | | | |
|------------|---------|---|-----------------------------|
| 360 tablet | \$ 0.50 | \$ 180.00 \$360.00 | Add to cart |
|------------|---------|---|-----------------------------|

Free AirMail shipping

Loperamide Hydrochloride tablet

What is this medicine?

LOPERAMIDE is used to treat diarrhea.

What should I tell my health care provider before I take this medicine?

They need to know if you have any of these conditions:

- a black or bloody stool
- bacterial food poisoning
- colitis or mucus in your stool
- currently taking an antibiotic medication for an infection
- fever
- liver disease
- severe abdominal pain, swelling or bulging
- an unusual or allergic reaction to loperamide, other medicines, foods, dyes, or preservatives
- pregnant or trying to get pregnant
- breast-feeding

How should I use this medicine?

Take this medicine by mouth with a glass of water. Take your doses at regular intervals. Do not take your medicine more often than directed.

Talk to your pediatrician regarding the use of this medicine in children. Special care may be needed.

Overdosage: If you think you have taken too much of this medicine

