

Please click price below and you will be redirected to our pharmacy.

## Monurol



Fosfomycin is an antibiotic that fights infection caused by bacteria. Fosfomycin is used to treat bladder infections. Fosfomycin is usually given in only one dose. Do not take more than a single dose unless your doctor tells you to.

Active ingredient: [Fosfomycin](#)

**Brand(s):**Fosirol / Monurol

**Manufacturer:** Cipla Ltd. / Modi Mundi Pharma Pvt Ltd

**Disease(s):**Bladder Infections

### Monurol 3g

|                       | Per sachet | Per Pack                                | Order                       |
|-----------------------|------------|-----------------------------------------|-----------------------------|
| 1 sachets             | \$ 39.95   | <b>\$ 39.95</b>                         | <a href="#">Add to cart</a> |
| 5 sachets             | \$ 34.99   | <b>\$ 174.95</b><br><del>\$199.75</del> | <a href="#">Add to cart</a> |
| Free AirMail shipping |            |                                         |                             |
| 10 sachets            | \$ 29.99   | <b>\$ 299.95</b><br><del>\$399.50</del> | <a href="#">Add to cart</a> |
| Free AirMail shipping |            |                                         |                             |

## Fosfomycin powder

### What is fosfomycin?

Fosfomycin is an antibiotic that fights infection caused by bacteria. Fosfomycin is used to treat bladder infections. Fosfomycin may also be used for purposes not listed in this medication guide.

### Warnings

Follow all directions on your medicine label and package. Tell each of your healthcare providers about all your medical conditions, allergies, and all medicines you use.

### Before taking this medicine

You should not use fosfomycin if you are allergic to it. FDA pregnancy category B. Fosfomycin is not expected to harm an unborn baby. Tell your doctor if you are pregnant. It is not known whether fosfomycin passes into breast milk or if it could harm a nursing baby. You should not breast-feed while using fosfomycin. Fosfomycin should not be given to a child younger than 12 years old. Do not share this medicine with another person, even if they have the same symptoms you have.

### How should I take fosfomycin?

Follow all directions on your prescription label. Do not take this medicine in larger or smaller amounts or for longer than recommended. Fosfomycin is usually given in only one dose. Do not take more than a single dose unless your doctor tells you to. You may take fosfomycin with or without food. Fosfomycin is a powder medicine that must be mixed with water before using it. Do not take the dry powder without adding water. Dissolve the powder in 3 to 4 ounces (1/2 cup) of cold water. Stir this mixture and drink all of it right away. To make sure you get the entire dose, add a little more water to the same glass, swirl gently and drink right away.

